

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	529	tree\$2 and (search\$3 same (best adj match\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:53
L3	679	(tree\$2 or hierarch\$3) and (search\$3 same (best adj match\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:34
L4	178	3 and ((sav\$3 or stor\$3) with (field\$1 or column\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:08
L5	43	4 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:57
L6	266	3 and ((sav\$3 or stor\$3) with (table or hierarch\$3) and (field\$1 or column\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:35
L8	73	6 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:10
L9	73	8 and value\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:16
L10	24	8 and (value\$1 same (best adj match\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:47
L11	133	(search\$3 with (best adj match\$2)). ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:35
L12	12	11 and (((sav\$3 or stor\$3) with table) and (tree or hierarch\$3) and (field\$1 or column\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:45

L13	499	tree\$2 and ((search\$3 or retriev\$3 or quer\$3) near match\$3).ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:40
L14	714	(tree\$2 or hierarch\$3) and ((search\$3 or retriev\$3 or quer\$3) near match\$3).ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:40
L15	7	sav\$3 with "second tree"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:42
L16	11	11 and (((sav\$3 or stor\$3) with (second adjtable)) and (tree or hierarch\$3) and (field\$1 or column\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:46
L17	202	14 and (((sav\$3 or stor\$3) with (second adjtable)) and (tree or hierarch\$3) and (field\$1 or column\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:45
L18	2	"6678675"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:46
L19	17	17 and (value\$1 same (best adj match\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:47
L20	98	17 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:48
L24	6	3 and ((sav\$3 or stor\$3) same (second adj (table\$1 or tree\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:51
L25	1	20 and ((sav\$3 or stor\$3) with (second adj (table or tree)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:51

L26	82	((sav\$3 or stor\$3) with "first tree") or ((sav\$3 or stor\$3) with "second tree")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:53
L27	2374	((sav\$3 or stor\$3) with "first table") or ((sav\$3 or stor\$3) with "second table")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:54
L28	2454	26 or 27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:54
L29	2	3 and 28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:54


[Return to the USPTO NPL Page](#) | [Help](#)

Basic Search	Advanced Search	Topic Guide	Publication Search	Marked List : 0 documents	My Research Summary	Interface language:	English
------------------------------	---------------------------------	-----------------------------	------------------------------------	-------------------------------------------	-------------------------------------	---------------------	-------------------------

Databases selected: Multiple databases...

[What's new](#)

Results

4 documents found for: *search and "best match" and tree* [Setup Alert](#) [About](#)
 [All sources](#) [Scholarly Journals](#) [Newspapers](#) [Dissertations](#)
 [Mark / Clear all on page](#)
[View marked documents](#)
 [Show only full text](#)

Sort results by:

[Most recent first](#)

1. **[From Shared Resources, Your Personal History](#)**

Peter Wayner. New York Times (Late Edition (East Coast)). New York, N.Y.: Apr 22, 2004. p. G.5

[Full text](#)
[Abstract](#)

2. **[New NetLogic Microsystems' CIDR Processor Targets Next Generation Of High-Speed Internet Routers](#)**

PR Newswire. New York: May 16, 1999. p. 1

[Full text](#)
[Abstract](#)

3. **[A scaleable technique for best-match retrieval of sequential information using metrics-guided search](#)**

Wolff, J Gerard. Journal of Information Science. Amsterdam: 1994. Vol. 20, Iss. 1; p. 16 (13 pages)

[Abstract](#)

4. **[The Efficiency of Using k-d Trees for Finding Nearest Neighbors in Discrete Space](#)**

Murphy, O. J., Selkow, S. M.. Information Processing Letters. Amsterdam: Nov 8, 1986. Vol. 23, Iss. 4; p. 215 (4 pages)

[Abstract](#)

1-4 of 4

Want an alert for new results sent by email? [Setup Alert](#) [About](#)Results per page: [30](#)

Basic Search

 [Tools: Search Tips](#) [Browse Topics](#) [2 Recent Searches](#)


Database: [Select multiple databases](#)

Date range:

Limit results to: [Full text documents only](#)

[Scholarly journals, including peer-reviewed](#) [About](#)

[More Search Options](#)

[Return to the USPTO NPL Page](#) | [Help](#)

Databases selected: Multiple databases...

[What's new](#)

Results – powered by ProQuest® Smart Search

Suggested Topics [About](#)

[< Previous](#) | [Next >](#)[Consumer behavior](#)[Consumer behavior AND Market research](#)[Consumer behavior AND Searches](#)[Consumer behavior AND Decision making](#)

Browse Suggested Publications

[< Previous](#) | [Next >](#)[About](#)[Journal of Consumer Research; Gainesville](#)[Mergers and Acquisitions; Philadelphia](#)[Fortune; New York](#)114 documents found for: *search and "best match"*[Setup Alerts](#)[About](#)[All sources](#) [Mark / Clear all on page](#)[View marked documents](#) [Show only full text](#)Sort results by: [Most recent first](#)

1. **[Finances, quality must be balanced in higher education; \[FIFTH Edition\]](#)**
James P. Brennan Special to The Morning Call - Freelance. Morning Call. Allentown, Pa.: May 3, 2005. p. A.9

[Full text](#) [Abstract](#)

2. **[Web search strategies and human individual differences: Cognitive and demographic factors, Internet attitudes, and approaches](#)**
Nigel Ford, David Miller, Nicola Moss. Journal of the American Society for Information Science and Technology. Hoboken: May 2005. Vol. 56, Iss. 7; p. 741 (16 pages)

[Abstract](#)

3. **[Travel Watch](#)**
Avery Johnson. Wall Street Journal (Eastern edition). New York, N.Y.: Mar 22, 2005. p. D.5

[Full text](#) [Abstract](#)

4. **[Enhancing Service Location Protocol for efficiency, scalability and advanced discovery](#)**
Weibin Zhao, Henning Schulzrinne. The Journal of Systems and Software. New York: Feb 15, 2005. Vol. 75, Iss. 1-2; p. 193

[Abstract](#)

5. **[Oracle\(R\) Service Gives Companies Better Access to Information for Improved Customer Management, Retention and Satisfaction](#)**
PR Newswire. New York: Dec 6, 2004. p. 1

[Full text](#) [Abstract](#)

6. **[Yahoo! to Acquire Musicmatch; Acquisition Furthers Yahoo!'s Commitment to Providing the Most Comprehensive Suite of Music Services for Consumers, Marketers, Artists and Labels](#)**
Business Wire. New York: Sep 14, 2004. p. 1

[Full text](#) [Abstract](#)

7. **SarnoffSmart Locator Software For Product Portals Produces Better Matches, Faster Searches; System Learns What Customers Want, Ranks Search Results Accordingly**
Business Wire. New York: Aug 24, 2004. p. 1

 [Full text](#)

 [Abstract](#)

8. **Movement-generated land-use agglomeration: simulation experiments on the drivers of fine-scale land-use patterning**
Alan Penn, Alasdair Turner. Urban Design International. London: Jun 2004. Vol. 9, Iss. 2; p. 81

 [Abstract](#)

9. **From Shared Resources, Your Personal History**
Peter Wayner. New York Times (Late Edition (East Coast)). New York, N.Y.: Apr 22, 2004. p. G.5

 [Full text](#)

 [Abstract](#)

10. **Chitika Launches RealContext, the Premier Real-Time Contextual Ad Targeting Service that Combines the Best of Both Worlds: Content and Behavior-based Ad Targeting**
PR Newswire. New York: Mar 29, 2004. p. 1

 [Full text](#)

 [Abstract](#)

11. **High-throughput comprehensive analysis of human plasma proteins: A step toward population proteomics**
Dobrin Nedelkov, Kemmons A Tubbs, Eric E Niederkofler, Urban A Kiernan, Randall W Nelson. Analytical Chemistry. Washington: Mar 15, 2004. Vol. 76, Iss. 6; p. 1733

 [Abstract](#)

12. **GutenTag: High-throughput sequence tagging via an empirically derived fragmentation model**
David L Tabb, Anita Saraf, John R Yates III. Analytical Chemistry. Washington: Dec 1, 2003. Vol. 75, Iss. 23; p. 6415

 [Abstract](#)

13. **Technology Journal (A Special Report); The Best Way To... ...Tap Into Government Contracts**
Wailin Wong. Asian Wall Street Journal. New York, N.Y.: Sep 15, 2003. p. R.6

 [Full text](#)

 [Abstract](#)

14. **Agencies defend service contracts ; State spends thousands on items like; speechwriting, diet help for inmates; [SPOKANE Edition]**
Richard Roesler Staff writer. Spokesman Review. Spokane, Wash.: Sep 14, 2003. p. A.1

 [Full text](#)

 [Abstract](#)

15. **For Some, Work Really Is About The Daily Grind; [FINAL Edition]**
DEBORAH ALBERTO. Tampa Tribune. Tampa, Fla.: Jul 26, 2003. p. 1

 [Full text](#)

 [Abstract](#)

16. **NeighborhoodScout.com Traffic Doubles Since January; Homebuyers Praise Web Site as the 'Consumer Reports of Real Estate'**
Business Editors/Real Estate Writers. Business Wire. New York: Jun 26, 2003. p. 1

 [Full text](#)

 [Abstract](#)

17. **Web search strategies and approaches to studying**
Nigel Ford, David Miller, Nicola Moss. Journal of the American Society for Information Science and Technology. Hoboken: Apr 2003. Vol. 54, Iss. 6; p. 473

 [Abstract](#)

18. **ESSENTIAL NET TIPS; [NEWS EXTRA Edition]**
South Wales Echo. Cardiff (UK): Mar 14, 2003. p. 24
[Full text](#) [Abstract](#)

19. **LogicLibrary Adds to Executive Team; Alan Himler and Larry Krueger Bring 47 Years of Experience to Industry Leader of Software Development Asset Management Tools**
Business Editors/High-Tech Writers. Business Wire. New York: Mar 12, 2003. p. 1
[Full text](#) [Abstract](#)

20. **Revelation changed tourism chief search ; Hiring Perry took matter of daysIndustry leaders applaud Perry Aide to bring tourism contacts**
Rebecca Mowbray Business writer. Times - Picayune. New Orleans, La.: Jun 29, 2002. p. 01
[Full text](#) [Abstract](#)

21. **Cuba City school board seeks public's input on superintendent search; Focus groups: The process will provide direction for finding the right candidate;**
CRAIG REBER. Telegraph - Herald. Dubuque, Iowa: May 14, 2002. p. A.3
[Full text](#) [Abstract](#)

22. **Hunt begins for relatives of Inca sacrifice victims: DNA research links mummies to living kin; [National Edition]**
Roger Highfield. National Post. Don Mills, Ont.: May 13, 2002. p. A.13
[Full text](#) [Abstract](#)

23. **Search for living relatives of Inca child sacrifices**
Roger Highfield Science Editor. The Daily Telegraph. London (UK): May 13, 2002. p. 10
[Full text](#) [Abstract](#)

24. **THE ONLINE TRAVELER**
JOHN GARRETT. The Press - Enterprise. Riverside, Calif.: Mar 24, 2002. p. F.02
[Full text](#) [Abstract](#)

25. **New software moves fleet management from mainframe to PC**
[Compiled by Gary Macklin * gmacklin@primediabusiness.com]. Refrigerated Transporter. Houston: March 2002. p. 33
[Full text](#) [Abstract](#)

26. **Peterson's Launches CollegesWantYou(SM) to Streamline the College Search and Selection Process**
PR Newswire. New York: Nov 27, 2001. p. 1
[Full text](#) [Abstract](#)

27. **What's the price of being lazy?; [North Sports Final , C Edition]**
Kansas City Star. Chicago Tribune. Chicago, Ill.: Sep 19, 2001. p. 3
[Full text](#) [Abstract](#)

28. **Job search requires real work; [METROPOLITAN Edition]**
DIANE STAFFORD. Kansas City Star. Kansas City, Mo.: Sep 9, 2001. p. D.1
[Full text](#) [Abstract](#)

29. **Extensions to the STAIRS Study—Empirical Evidence for the Hypothesised Ineffectiveness of Boolean Queries in Large Full-Text Databases**
Eero Sormunen. Information Retrieval. Boston: Sep-Dec 2001. Vol. 4, Iss. 3-4; p. 257
[Full text](#) [Abstract](#)

[Article image - PDF](#) [Abstract](#)

30. **E-World: The Music Plays On: Alternative Services Improve on Napster**
By Thomas E. Weber. *Asian Wall Street Journal*. New York, N.Y.: Jul 17, 2001. p. 7

 [Full text](#) [Abstract](#)

1-30 of 114

< First | < Previous 1 2 3 4 [Next >](#)Want an alert for new results sent by email? [Setup Alert](#) [About](#)Results per page:

Did you find what you're looking for? If not, revise your search below or try these suggestions:

Suggested Topics [About](#)< Previous | [Next >](#)[Consumer behavior](#)**Browse Suggested Publications**< Previous | [Next >](#)[About](#)[Consumer behavior AND Market research](#)[Journal of Consumer Research; Gainesville](#)[Consumer behavior AND Searches](#)[Mergers and Acquisitions; Philadelphia](#)[Consumer behavior AND Decision making](#)[Fortune; New York](#)

Basic Search

 Tools: [Search Tips](#) [Browse Topics](#) [1 Recent Searches](#)

Search

Clear

Database: Select multiple databasesDate range: Limit results to: Full text documents only Scholarly journals, including peer-reviewed [About](#) [More Search Options](#) Copyright © 2005 ProQuest Information and Learning Company. All rights reserved. [Terms and Conditions](#)[Text-only interface](#)



Web Images Groups News Froogle Local^{New!} more »

search and "best match" and tree and database Advanced Search

Preferences

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 1 - 10 of about 15,800 for search and "best match" and tree and database and value. (0.30 se

Provincial Court of British Columbia | Judgment Database

... The query engine finds pages that **best match** the words and phrases in a ... To **search** for, Example, Results. A specific **value**, @DocAuthor = Bill Gates ...

www.provincialcourt.bc.ca/judgmentdatabase/ - 53k -
[Cached](#) - [Similar pages](#)

Sponsored Links

[Gregory P. David, ASCA](#)

Tree appraisal, litigation support.
 Registered Consulting Arborist.
www.tree-appraisal.com

Tree Fruit Technology

... 6 and 7 ('BLAST Against Arabidopsis thaliana: Definition/**Best Match/E-Value**'): ... TFT BLAST will automatically **search** the currently selected **database** ...

genomics.msu.edu/fruitdb/getting_started.html - 20k -
[Cached](#) - [Similar pages](#)

Database Search Match

Find Solutions for your Business
 Free Reports, Info & Registration!
www.KnowledgeStorm.com

Tree Fruit Technology

... A public access genomic analysis tool for temperate zone **tree** fruit crops ... 7 ('BLAST Against Arabidopsis thaliana: Definition/**Best Match/E-Value**'): ...
genomics.msu.edu/fruitdb/user_tools/browser.html - 12k - [Cached](#) - [Similar pages](#)

[PDF] Fast Image Database Search using Tree-Structured VQ

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... ages in the **database**. Nodes of the **tree** are indexed by s. Each node is associated with a set of ... Figure 2: **Search** accuracy versus the **value** of λ
dynamo.ecn.purdue.edu/~bouman/publications/pdf/icip97a.pdf - [Cached](#) - [Similar pages](#)

QTS Help Screen

... the **database** is queried and the plants which **best match** the **search** criteria ... If you enter a non-numeric **value**, the **database** will reject the query, ...
www.forests.qld.gov.au/qts/qtshelp.html - 9k - [Cached](#) - [Similar pages](#)

[PPT] Bioinformatic Resources

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... Build "trees" of distances between sequences or groups of sequences representing ... To get the **E-value** of a full **database search**, the "m" **value** of the ...
bioinfobase.umkc.edu/Lectures/Lectures/425WinterLectweek4-5.ppt - [Similar pages](#)

EXERCISES 1

... (PROT) from the **database** menu. Run the **search** and examine the results. ... file corresponding the **best match** from the most recent **search** (blastx). ...
www.bimcore.emory.edu/Tutorials/Class/IBS574/2003/Exercise01-2003.htm - 24k -
[Cached](#) - [Similar pages](#)

Paper: Hierarchical browsing and search of large image databases ...

... Index Terms Browse, image **database**, pyramids, **search**, trees. ... the minimum number of nodes required to guarantee that the **best match** has been found. ...
computing.breinestorm.net/search+algorithm+browsing+databases+hierarchical/ - 67k -
[Cached](#) - [Similar pages](#)

Paper: BU CS TR2000-009, Mar., 2000. To appear in Proc. IEEE ...

... One problem with a **tree**-structured code book **search** is that it does not in ... In

searching for the **best match** based on the index **tree** structure, ...
computing.breinestorm.net/ shape+retrieval+shapes+image+population/ - 33k -
[Cached](#) - [Similar pages](#)


International Foundation: Search Tips

... The query engine finds pages that **best match** the words and phrases in a ... To **Search** For, Example, Results. A specific **value**, @DocAuthor = Bill Barnes ...
www.ifebp.org/querylang.asp - 59k - [Cached](#) - [Similar pages](#)

Gooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

 **PORTAL**
USPTO

Subscribe (Full Service) Register (Limited Service, Free) Login
Search: The ACM Digital Library The Guide
[search <and> "best match" <and> tree] **SEARCH**

THE ACM DIGITAL LIBRARY

 [Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used search and best match and tree

Found 152,350 of 154,226

Sort results by [Save results to a Binder](#)

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results [Search Tips](#)

[Open results in a new window](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale 

1 [Decoupling partitioning and grouping: Overcoming shortcomings of spatial indexing with bucketing](#) 

Hanan Samet

December 2004 **ACM Transactions on Database Systems (TODS)**, Volume 29 Issue 4Full text available:  [pdf\(446.42 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The principle of decoupling the partitioning and grouping processes that form the basis of most spatial indexing methods that use tree directories of buckets is explored. The decoupling is designed to overcome the following drawbacks of traditional solutions: (1) multiple postings in disjoint space decomposition methods that lead to balanced trees such as the hB-tree where a node split in the event of node overflow may be such that one of the children of the node that was split becomes a child of ...

Keywords: BV-trees, PK-trees, R-trees, Spatial indexing, decoupling, object hierarchies, space decomposition

2 [New techniques for best-match retrieval](#) 

Dennis Shasha, Tsong-Li Wang

April 1990 **ACM Transactions on Information Systems (TOIS)**, Volume 8 Issue 2Full text available:  [pdf\(1.41 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

A scheme to answer best-match queries from a file containing a collection of objects is described. A best-match query is to find the objects in the file that are closest (according to some (dis)similarity measure) to a given target. Previous work [5, 331] suggests that one can reduce the number of comparisons required to achieve the desired results using the triangle inequality, starting with a data structure for the file that reflects some precomputed intrafile distances. We gen ...

3 [Multilingual generation and summarization of job adverts: the TREE project](#) 

Harold Somers, Bill Black, Joakim Nivre, Torbjörn Lager, Annarosa Multari, Luca Gilardoni, Jeremy Ellman, Alex Rogers

March 1997 **Proceedings of the fifth conference on Applied natural language processing**Full text available:  [pdf\(865.00 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#) [Publisher Site](#)

A multilingual Internet-based employment advertisement system is described. Job ads are submitted as e-mail texts, analysed by an example-based pattern matcher and stored in language-independent schemas in an object-oriented database. Users can search the database in their own language and get customized summaries of the job ads. The query engine uses symbolic case-based reasoning techniques, while the generation module integrates canned text, templates, and grammar rules to produce texts and hy ...

4 Index-driven similarity search in metric spaces

Gisli R. Hjaltason, Hanan Samet

December 2003 **ACM Transactions on Database Systems (TODS)**, Volume 28 Issue 4

Full text available:  [pdf\(650.64 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Similarity search is a very important operation in multimedia databases and other database applications involving complex objects, and involves finding objects in a data set S similar to a query object q , based on some similarity measure. In this article, we focus on methods for similarity search that make the general assumption that similarity is represented with a distance metric d . Existing methods for handling similarity search in this setting typically fall into one of ...

Keywords: Hierarchical metric data structures, distance-based indexing, nearest neighbor queries, range queries, ranking, similarity searching

5 Content-based image retrieval for multimedia databases: Content based sub-image retrieval via hierarchical tree matching

Jie Luo, Mario A. Nascimento

November 2003 **Proceedings of the 1st ACM international workshop on Multimedia databases**

Full text available:  [pdf\(187.28 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper deals with the problem of finding images that *contain a given query image*, the so-called content-based sub-image retrieval. We propose an approach based on a hierarchical tree that encodes the color feature of image tiles which are in turn stored as an index sequence. The index sequences of both candidate images and the query sub-image are then compared in order to rank the database images suitability with respect to the query. In our experiments, using 10,000 images and disk-r ...

Keywords: CBIR, content-based sub-image retrieval, hierarchical tree matching, multi-scale hierarchical, partition

6 K-d trees for semidynamic point sets

Jon Louis Bentley

May 1990 **Proceedings of the sixth annual symposium on Computational geometry**

Full text available:  [pdf\(928.78 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

A K-d tree represents a set of N points in K -dimensional space. Operations on a semidynamic tree may delete and undelete points, but may not insert new points. This paper shows that several operations that require $\mathcal{O}(N \log N)$ expected time in general K-d trees may be performed in constant expected time in semidynamic trees. These operations include deletion, undeletion, ne ...

7

Late breaking results: posters: Information search: the intersection of visual and

semantic space

Franklin P. Tamborello, Michael D. Byrne

April 2005 **CHI '05 extended abstracts on Human factors in computing systems**

Full text available:  pdf(171.10 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In the context of an information search task, does the visual salience of items interact with information scent? That is, do things like bold headlines or highlighted phrases interact with local semantic cues about the usefulness of distal sources of information? Most research on visual search and highlighting has used stimuli with no semantic content, while studies on information search have assumed equal visual salience of items in the search space. In real information environments like the Web ...

Keywords: content creation, content strategy, information architecture, visual design, world wide web and hypermedia

8 Full papers: Tree bitmap: hardware/software IP lookups with incremental updates

Will Eatherton, George Varghese, Zubin Dittia

April 2004 **ACM SIGCOMM Computer Communication Review**, Volume 34 Issue 2

Full text available:  pdf(189.39 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

Even with the significant focus on IP address lookup in the published literature as well as focus on this market by commercial semiconductor vendors, there is still a challenge for router architects to find solutions that simultaneously meet 3 criteria: scaling in terms of lookup speeds as well as table sizes, the ability to perform high speed updates, and the ability to fit into the overall memory architecture of an Level 3 forwarding engine or packet processor with low systems cost overhead. I ...

9 1 - Regular Articles: Average-optimal single and multiple approximate string matching

Kimmo Fredriksson, Gonzalo Navarro

April 2005 **Journal of Experimental Algorithmics (JEA)**, Volume 9 Issue 1

Full text available:  pdf(1.77 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We present a new algorithm for multiple approximate string matching. It is based on reading backwards enough l -grams from text windows so as to prove that no occurrence can contain the part of the window read, and then shifting the window. We show analytically that our algorithm is optimal on average. Hence our first contribution is to fill an important gap in the area, since no average-optimal algorithm existed for multiple approximate string matching. We consider several variants and practical issues ...

Keywords: Algorithms, approximate string matching, biological sequences, multiple string matching, optimality

10 A tree algorithm for nearest neighbor searching in document retrieval systems

Caroline M. Eastman, Stephen F. Weiss

May 1978 **ACM SIGIR Forum, Proceedings of the 1st annual international ACM SIGIR conference on Information storage and retrieval**, Volume 13 Issue 1

Full text available:  pdf(651.08 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The problem of finding nearest neighbors to a query in a document collection is a special case of associative retrieval, in which searches are performed using more than one key. A nearest neighbors associative retrieval algorithm, suitable for document retrieval using similarity matching, is described. The basic structure used is a binary tree, at each node a set of keys (concepts) is tested to select the most promising branch. Backtracking to initially rejected branches is allowed and often ...

11 An Algorithm for Finding Best Matches in Logarithmic Expected Time

Jerome H. Friedman, Jon Louis Bentley, Raphael Ari Finkel

September 1977 **ACM Transactions on Mathematical Software (TOMS)**, Volume 3 Issue 3Full text available:  [pdf\(1.15 MB\)](#)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)**12 Animation: Unsupervised colorization of black-and-white cartoons**

Daniel Sýkora, Jan Buriánek, Jiří Žára

June 2004 **Proceedings of the 3rd international symposium on Non-photorealistic animation and rendering**Full text available:  [pdf\(704.37 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We present a novel *color-by-example* technique which combines image segmentation, patch-based sampling and probabilistic reasoning. This method is able to automate colorization when new color information is applied on the already designed black-and-white cartoon. Our technique is especially suitable for cartoons digitized from classical celluloid films, which were originally produced by a paper or cel based method. In this case, the background is usually a static image and only the dynamic ...

Keywords: color-by-example, image analogies, image processing, image registration, image segmentation, patch-based sampling, probabilistic relaxation

13 Visualisation and comparison of image collections based on self-organised maps

Da Deng, Jianhua Zhang, Martin Purvis

January 2004 **Proceedings of the second workshop on Australasian information security, Data Mining and Web Intelligence, and Software Internationalisation - Volume 32**Full text available:  [pdf\(396.06 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#)

Self-organised maps (SOM) have been widely used for cluster analysis and visualisation purposes in exploratory data mining. In image retrieval applications, SOMs have been used to visualise high-dimensional feature space and build indexing structures. In this paper, we extend the use of SOMs for profiling and comparison of image collections, and present empirical results obtained in collection visualisation, visual and quantitative comparison of collections, and a prototype system implementation ...

14 Concepts and effectiveness of the cover-coefficient-based clustering methodology for text databases

Fazli Can, Esen A. Ozkarahan

December 1990 **ACM Transactions on Database Systems (TODS)**, Volume 15 Issue 4Full text available:  [pdf\(2.74 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

A new algorithm for document clustering is introduced. The base concept of the algorithm, the cover coefficient (CC) concept, provides a means of estimating the number of clusters within a document database and related indexing and clustering analytically. The CC concept is used also to identify the cluster seeds and to form clusters with these seeds. It is shown that the complexity of the clustering process is very low. The retrieval experiments show that the information-retrieval effectiv ...

Keywords: cluster validity, clustering-indexing relationships, cover coefficient, decoupling coefficient, document retrieval, retrieval effectiveness

15 Multidimensional binary search trees used for associative searching

Jon Louis Bentley

September 1975 **Communications of the ACM**, Volume 18 Issue 9Full text available:  pdf(962.77 KB)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper develops the multidimensional binary search tree (or k-d tree, where k is the dimensionality of the search space) as a data structure for storage of information to be retrieved by associative searches. The k-d tree is defined and examples are given. It is shown to be quite efficient in its storage requirements. A significant advantage of this structure is that a single data structure can handle many types of queries very efficiently ...

Keywords: associative retrieval, attribute, binary search trees, binary tree insertion, information retrieval system, intersection queries, key, nearest neighbor queries, partial match queries

16 Research track: A Web page prediction model based on click-stream tree**representation of user behavior**

Şule Gündüz, M. Tamer Özsu

August 2003 **Proceedings of the ninth ACM SIGKDD international conference on Knowledge discovery and data mining**Full text available:  pdf(138.93 KB)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Predicting the next request of a user as she visits Web pages has gained importance as Web-based activity increases. Markov models and their variations, or models based on sequence mining have been found well suited for this problem. However, higher order Markov models are extremely complicated due to their large number of states whereas lower order Markov models do not capture the entire behavior of a user in a session. The models that are based on sequential pattern mining only consider the first ...

Keywords: Web usage mining, graph based clustering, two dimensional sequential model

17 A general solution of the n-dimensional B-tree problem

Michael Freeston

May 1995 **ACM SIGMOD Record , Proceedings of the 1995 ACM SIGMOD international conference on Management of data**, Volume 24 Issue 2Full text available:  pdf(1.44 MB)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We present a generic solution to a problem which lies at the heart of the unpredictable worst-case performance characteristics of a wide class of multi-dimensional index designs: those which employ a recursive partitioning of the data space. We then show how this solution can produce modified designs with fully predictable and controllable worst-case characteristics. In particular, we show how the recursive partitioning of an n-dimensional dataspace can be represented in such a way that the characteristics ...

18 Multikey retrieval from K-d trees and QUAD-trees

D. A. Beckley, M. W. Evens, V. K. Raman

May 1985 **ACM SIGMOD Record , Proceedings of the 1985 ACM SIGMOD international conference on Management of data**, Volume 14 Issue 4Full text available:  pdf(1.05 MB)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

19 Dynamic vp-tree indexing for n -nearest neighbor search given pair-wise distances 

Ada Wai-chee Fu, Polly Mei-shuen Chan, Yin-Ling Cheung, Yiu Sang Moon

July 2000 **The VLDB Journal — The International Journal on Very Large Data Bases,**

Volume 9 Issue 2

Full text available:  pdf(232.09 KB) Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

For some multimedia applications, it has been found that domain objects cannot be represented as feature vectors in a multidimensional space. Instead, pair-wise distances between data objects are the only input. To support content-based retrieval, one approach maps each object to a k -dimensional (k -d) point and tries to preserve the distances among the points. Then, existing spatial access index methods such as the R-trees and KD-trees can support fast searching on the resulting

Keywords: *Content-based retrieval, Indexing, Nearest neighbor search, Pair-wise distances, Updating*

20 An empirical analysis of techniques for constructing and searching k-dimensional trees 

Douglas A. Talbert, Doug Fisher

August 2000 **Proceedings of the sixth ACM SIGKDD international conference on Knowledge discovery and data mining**Full text available:  pdf(108.72 KB) Additional Information: [full citation](#), [references](#), [index terms](#)

Keywords: K-dimensional trees, nearest-neighbor search techniques

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)